AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication

ABBOTT N.J., HART J., ROGAC L., TAYLOR M. & ZLOKOVIĆ B.V. Amino acid transport by the glial blood–brain barrier of the anaesthetized dogfish. (C) 25*P*

ABBOTT N.J. & HART J. Glutamate and GABA transport by the glial blood–brain barrier of the anaesthetized dogfish. 141*P*

ABRAHAM W.C. & OTANI S. Maintenance of long-term potentiation in the dentate gyrus requires proteins synthesized shortly after tetanization in the anaesthetized rat. (C) 50*P*

ACHENBACH C., DAYING Han, DARMER M. & SIENKO S. Effects of external calcium on the kinetics of beat-dependent sodium loading in sheep cardiac Purkinje fibres. 122*P*

ADAMS J.H. & KOESLAG J.H. Carbohydrate homeostasis and post-exercise ketosis in trained and untrained rats. 453

ADAMSON R.H. Increased permeability of mesenteric capillaries of pithed frogs associated with mild protease digestion of the endothelial glycocalyx. (C) 27*P*

ALARCON G. & CERVERO F. Visceral afferent drives of viscero-somatic neurones in the thoracic spinal cord of spinalized, decerebrate cats. (C) 62*P*

ALLEN D.G., LEE J.A. & WESTERBLAD H. Intracellular calcium during fatigue in isolated single fibres from *Xenopus* toe muscles. (C) 75*P*

ALLEN D.G. & KENTISH J.C. Calcium concentration in the myoplasm of skinned ferret ventricular muscle following changes in muscle length. 489

ALLEN T.J.A. The effects of caffeine, calcium and magnesium on cAMP production in intact and intracellularly perfused squid giant axons. (C) 90*P*

ALLEN T.J.A., DIPOLO R. & ROJAS H. Effects of external lithium and internal calcium on the Ca_o affinity of reverse sodium–calcium exchange in the dialysed squid axon. 136*P*

ALLSOP P., ARNOT R., GILLIAM M., HALL G.M. & LEWIS S.M. Does splenic autotransfusion occur during high-intensity cycle excercise in man? (C) 24*P*

ALMARAZ Laura, GARCÍA-SANCHO Javier & LEW Virgilio L. Calcium-induced conversion of adenine nucleotides to inosine monophosphate in human red cells. 557

ALMERS W., BRECKENRIDGE L. & SPRUCE A. Time course of fusion pore conductance during exocytosis of secretory vesicles in beige mouse mast cells. (C) 96*P*

ALVAREZ J., GARCIA-SANCHO J., MOLLINEDO F. & SANCHEZ A. Intracellular Ca^{2+} potentiates Na^+/H^+ exchange and cell differentiation induced by phorbol esters in the human cell line U937. (C) 91*P*

ALVAREZ J. & GARCIA-SANCHO J. Irreversible inhibition of Ca^{2+}-dependent K^+ channels of human red cells by *Notechis scutatus* venom. (C) 97*P*

AMASSIAN V.E., CRACCO R.Q. & MACCABEE P.J. Transcallosal responses elicited by focal magnetic coil stimulation of human frontal cortex. (C) 69*P*

AMEMIYA Y., IWAMOTO H., KOBAYASHI T., SUGI H., TANAKA H. & WAKABAYASHI K. Time-resolved X-ray diffraction studies on the effect of slow length changes on tetanized frog skeletal muscle. 231

ANDERSON A.J. & PATMORE L. Calcium currents evoked in embryonic chick myocytes during depolarization with an action potential voltage waveform. 126*P*

ANDERSON A.J., PATMORE L. & SPEDDING M. Calcium channel currents in embryonic chick myocytes. 130*P*

ANDREWS P.L.R. & YOUNG J.Z. Videotape recording of stomach activity patterns in the pithed elasmobranch. (D) 8*P*

ANTUNES E., DE NUCCI G. & VANE J.R. Endothelin releases eicosanoids from and is removed by isolated perfused lungs of the guinea-pig. (C) 40*P*

ARNOT R. *see* ALLSOP P., ARNOT R., GILLIAM M., HALL G.M. & LEWIS S.M. Does splenic autotransfusion occur during high-intensity cycle excercise in man? (C) 24*P*

ASHLEY C.C., DUCHATEAU J.J. & GRIFFITHS P.J. Shortening velocity and ATPase activity in skinned muscle fibres from *Balanus nubilus*. (C) 76*P*

ASHLEY C.C., GRIFFITHS P.J. & HODGSON S. Weakly attached states in myofibrillar bundles from *Balanus nubilus*. (C) 77*P*

BAKER Jr Curtis L., HESS Robert R., OLSEN Borgar T. & ZRENNER Eberhart Current source density analysis of linear and non-linear components of the primate electroretinogram. 155

BALDWIN B.A. & KENDRICK K.M. Sodium appetite modifies activity of cells in the zona incerta of sheep which respond to the sight or visual approach of food. (C) 60*P*

BAMBRICK Linda L. & GORDON Tessa Neural regulation of [^{3}H]saxitoxin binding site numbers in rat neonatal muscle. 263

BAND D.M. & SNEYD J.R. A versatile, low-cost animal ventilator. (D) 2*P*

BARER G.R. & CAI Y.N. Enhanced pulmonary vasodilatation by ligustrazine in isolated perfused lungs of chronically hypoxic rats. (C) 31*P*

BARKER P.M., BROWN M.J., RAMSDEN C.A., STRANG L.B. & WALTERS D.V. The effect of thyroidectomy in the fetal sheep on lung liquid reabsorption induced by adrenaline or cyclic AMP. 373

BARNES G.R. & LAWSON J.F. Gaze control during head-free pursuit of pseudo-random target motion in man. (C) 71*P*

BASTIDE B., DÉLÈZE J. & HERVÉ J.C. Segmental electrical uncoupling of mammalian auricle after calcium repletion *in vitro*. 138*P*

BAUMANN K.I., HAMANN W. & LEUNG M.S. Reversible suppression of responsiveness of slowly adapting type I mechanoreceptors in the anaesthetized rat following intradermal injection of neomycin. (C) 63*P*

BAYLOR S.M. & HOLLINGWORTH S. Erratum: *Journal of Physiology* **403** (1988) 616

BECK J.S. & POTTS D.J. Effects of sodium co-transport stimulation and step changes in basolateral potassium concentration upon basolateral membrane PD of rabbit proximal convoluted tubule *in vitro*. (C) 9*P*

BENCHETRIT G., BODOCCO S., GUZ A., PHAM DINH T. & SHEA S.A. Long-term reproducibility of the breathing pattern in adult humans at rest. 142*P*

BENHAM C.D. Ca entry through ATP-activated channels elevates cytoplasmic Ca in single smooth muscle cells from rabbit ear artery. (C) 92*P*

BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic responses to s.c. noradrenaline (NA) in conscious Long Evans and Brattleboro rats. (C) 19*P*

BENNETT T., GARDINER S.M. & TOMLINSON K.C. Differential effects of angiotensin-converting enzyme (ACE) inhibitors and angiotensin II (AII) analogues on blood pressure in conscious, water-deprived Brattleboro rats. (C) 20*P*

BERLIN J.R., HUME J.R. & LEDERER W.J. $[Ca^{2+}]_i$-activated 'creep' currents in guinea-pig ventricular myocytes. 128*P*

BERS D.M. & SHATTOCK M.J. Cellular calcium extrusion associated with contraction may underlie the negative force–frequency relationship in isolated rat ventricular muscle. 132*P*

BERS D.M., BRIDGE J.H.B. & SPITZER K.W. Intracellular [Ca] changes during rapid cooling contractures (RCCs) in isolated guinea-pig ventricular myocytes. 133*P*

BEUCKELMANN D.J. & WIER W.G. $[Ca^{2+}]_i$-transients arising from sodium–calcium exchange (Na–Ca) in guinea-pig myocytes increase exponentially with depolarization. (C) 78*P*

BIANCHI A.L., GRÉLOT L., ISCOE S. & REMMERS J.E. Electrophysiological properties of rostral medullary respiratory neurones in the cat: an intracellular study. 293

BLATTER L.A., FRY C.H., HALL S.K. & MCGUIGAN J.A.S. Concerning the presentation of data obtained with ion-selective electrodes. 120*P*

BODOCCO S. *see* BENCHETRIT G., BODOCCO S., GUZ A., PHAM DINH T. & SHEA S.A. Long-term reproducibility of the breathing pattern in adult humans at rest. 142*P*

BOLSOVER Stephen, GILBERT Susan & SPECTOR Ilan Motility at the growth cone of N1E-115 neuroblastoma cells: effect of Ca^{2+} injection. (C) 86*P*

BOLSOVER Stephen, LAMB Angela & SILVER R. Angus Measurement of $[Ca^{2+}]_i$ in neuronal growth cones of N1E-115 neuroblastoma cells of the mouse. (C) 87*P*

BOUNTRA C. & VAUGHAN-JONES R.D. Effect of intracellular acidosis on contraction in mammalian cardiac muscle *in vitro*. 118*P*

BOUNTZIOUKAS S. & LEDERIS K. Experimental modulation of plasma corticosterone in the anaesthetized bullfrog (*Rana catesbeiana*). (C) 112*P*

BOVELL D.L., ELDER H.Y., JENKINSON D. MCEWAN & WILSON S.M. Calcium involvement in the regulation of potassium efflux in the human isolated sweat gland. (C) 104*P*

BOYD C.A.R., BUSTAMANTE J.C. & YUDILEVICH D.L. Sulphate transport by isolated basal membrane vesicles of human placenta. (C) 13*P*

BOYD C.A.R., CAMPBELL I.D., KING G.F. & QUIRK P.G. Proton NMR studies on epithelial cells isolated from chicken small intestine. (C) 14*P*

BOYETT M.R., KIRBY M.S. & ORCHARD C.H. Rapid regulation of the 'second inward current' by intracellular calcium in isolated rat and ferret ventricular myocytes. 77

BOYETT M.R., KIRBY M.S. & ORCHARD C.H. The effect of acidosis in single ventricular cells isolated from ferret heart. 114*P*

BRECKENRIDGE L. *see* ALMERS W., BRECKENRIDGE L. & SPRUCE A. Time course of fusion pore conductance during exocytosis of secretory vesicles in beige mouse mast cells. (C) 96*P*

BRŽEZINA Vladimír Guanosine 5′-triphosphate analogue activates potassium current modulated by neurotransmitters in *Aplysia* neurones. 15

BRIDGE J.H.B. *see* BERS D.M., BRIDGE J.H.B. & SPITZER K.W. Intracellular [Ca] changes during rapid cooling contractures (RCCs) in isolated guinea-pig ventricular myocytes. 133*P*

BRIGHT C.M. & ELLIS D. The effect of temperature on intracellular pH (pH_i) and the response to hypoxia in quiescent sheep heart Purkinje fibres *in vitro*. 119*P*

BROOKS A. & MASON R. The electrophysiological effects of melatonin on rat suprachiasmatic and paraventricular hypothalamic neurones *in vitro*. (C) 57*P*

BROWN J. Physiological increments of atrial natriuretic peptide dilute the urine of dehydrated volunteers. (C) 107*P*

BROWN M.C., LUNN E.R. & PERRY V.H. Rapid regeneration of crushed motor axons can occur in a strain of mice in the absence of degeneration in the peripheral stump. (C) 48*P*

BROWN M.J. *see* BARKER P.M., BROWN M.J., RAMSDEN C.A., STRANG L.B. & WALTERS D.V. The effect of thyroidectomy in the fetal sheep on lung liquid reabsorption induced by adrenaline or cyclic AMP. 373

BRUNN D.E., BURROWS M. & WATSON A.H.D. A central excitatory synapse between identified motor neurones in the locust. (C) 59*P*

BULLIER Jean, DEHAY Collette & KENNEDY Henry A double-labelling investigation of the cortical inputs to visual area V1 and V2 of the newborn monkey. (C) 65*P*

BURKHARDT Dwight A., GOTTESMAN Jon & THORESON Wallace B. Prolonged depolarization in turtle cones evoked by current injection and stimulation of the receptive field surround. 329

BURROWS M. *see* BRUNN D.E., BURROWS M. & WATSON A.H.D. A central excitatory synapse between identified motor neurones in the locust. (C) 59*P*

BUSTAMANTE J.C. *see* BOYD C.A.R., BUSTAMANTE J.C. & YUDILEVICH D.L. Sulphate transport by isolated basal membrane vesicles of human placenta. (C) 13*P*

CADY E.B., JONES D.A., LYNN J. & NEWHAM D.J. Monobasic phosphate and force loss in fatigued human muscle. (C) 22*P*

CAI Y.N. *see* BARER G.R. & CAI Y.N. Enhanced pulmonary vasodilatation by ligustrazine in isolated perfused lungs of chronically hypoxic rats. (C) 31*P*

CAIRNS M.T., MILLER D.J. & O'DOWD J.J. Detection and estimation of carnosine, homocarnosine, *N*-acetyl histidine and its 1-methyl derivative in rat brain by analytical HPLC. (C) 51*P*

CAMPBELL I.D. *see* BOYD C.A.R., CAMPBELL I.D., KING G.F. & QUIRK P.G. Proton NMR studies on epithelial cells isolated from chicken small intestine. (C) 14*P*

CASIROLA D., FERRARI G., GASTALDI G., PARTRINI C. & RINDI G. Erratum: *Journal of Physiology* **398** (1988) 615

CERVERO F. *see* ALARCON G. & CERVERO F. Visceral afferent drives of viscero-somatic neurones in the thoracic spinal cord of spinalized, decerebrate cats. (C) 62*P*

CERVETTO L., LAGNADO L. & MCNAUGHTON P.A. The effects of internal Na on the activation of the Na:Ca exchange in isolated salamander rods. (C) 81*P*

CHANNER K.S. & JONES J.V. Changes in the pattern of transmitral blood flow during respiration in man. (C) 21*P*

CHAPMAN B.J. & SPEAKMAN Elisabeth A. Cardiac function curves after scald burn injury to the anaesthetized rat. (C) 17*P*

CHAPMAN R.A. & RODRIGO Glenn C. A rise in sarcoplasmic ionic calcium is needed to initiate cellular disruption in isolated guinea-pig myocytes, during calcium paradox. 139*P*

CHAPPELL J.B., COLLINGRIDGE G.L., RANDALL A.D. & SCHOFIELD J.G. Cytosolic free Ca^{2+} transients induced by repetitive applications of TRH in cultured single bovine anterior pituitary cells. (C) 89*P*

CHEESEMAN C.I. Dietary regulation of glucose transport across rat isolated enterocyte intestinal basolateral membrane. (C) 12*P*

COLLINGRIDGE G.L. *see* CHAPPELL J.B., COLLINGRIDGE G.L., RANDALL A.D. & SCHOFIELD J.G. Cytosolic free Ca^{2+} transients induced by repetitive applications of TRH in cultured single bovine anterior pituitary cells. (C) 89*P*

COMPTON A.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic responses to s.c. noradrenaline (NA) in conscious Long Evans and Brattleboro rats. (C) 19*P*

COOPER N.P. & EVANS E.F. Anomalous temporal discharge patterns in cochlear nerve fibres of the anaesthetized guinea-pig. (C) 64*P*

CORFIELD D.R., CROSS Brenda A., HOWELLS Kathryn D., SEMPLE S.J.G. & STIDWILL R.P. An improved system for recording pH oscillations in an arterio-venous shunt in man. (D) 7*P*

CRACCO R.Q. *see* AMASSIAN V.E., CRACCO R.Q. & MACCABEE P.J. Transcallosal responses elicited by focal magnetic coil stimulation of human frontal cortex. (C) 69*P*

CRAIG A.J. & PERRY R.J. Differences in absolute sensitivity and response kinetics between red-, blue- and ultraviolet-sensitive isolated salamander cones. (C) 83*P*

CRAWFORD A.C., EVANS M.G. & FETTIPLACE R. A rapid line-scan camera system applied to movements of cochlear hair cells. (D) 5*P*

CRISP A.J., HAINSWORTH R. & TUTT S.M. The absence of cardiovascular and respiratory responses to changes in right ventricular pressure in anaesthetized dogs. 1

CROSS Brenda A. *see* CORFIELD D.R., CROSS Brenda A., HOWELLS Kathryn D., SEMPLE S.J.G. & STIDWILL R.P. An improved system for recording pH oscillations in an arterio-venous shunt in man. (D) 7*P*

CROSSMAN D.C., DASHWOOD M.R., DAVIES G.J., LARKIN S., MASERI A., SPYER K.M. & YACOUB M. Coronary vasodilatation *in vivo* by substance P and the distribution of substance P and calcitonin gene-related peptide- (CGRP)-binding sites in human coronary artery. (C) 15*P*

CRUNELLI V. & POLLARD C.E. A transient inward calcium current in cat and rat thalamic cells *in vitro*. (C) 45*P*

CURTIN N.A. & WOLEDGE R.C. Energetic cost of power output by isolated fibre bundles from dogfish white muscle. (C) 74*P*

CYNK E., KONDO K., SALVEMINI D., SNEDDON J.M. & VANE J.R. Human monocytes and neutrophils inhibit platelet aggregation by releasing an EDRF-like factor. (C) 28*P*

DAGHER Georges & LEW Virgilio L. Maximal calcium extrusion capacity and stoichiometry of the human red cell calcium pump. 569

DALY M. de Burgh, KIRKMAN E. & WOOD L.M. Cardiovascular responses to stimulation of cardiac receptors in the cat and their modification by changes in respiration. 349

DARMER M. *see* ACHENBACH C., DAYING Han, DARMER M. & SIENKO S. Effects of external calcium on the kinetics of beat-dependent sodium loading in sheep cardiac Purkinje fibres. 122*P*

DASHWOOD M.R. *see* CROSSMAN D.C., DASHWOOD M.R., DAVIES G.J., LARKIN S., MASERI A., SPYER K.M. & YACOUB M. Coronary vasodilatation *in vivo* by substance P and the distribution of substance P and calcitonin gene-related peptide- (CGRP)-binding sites in human coronary artery. (C) 15*P*

DAUT J. & ELZINGA G. Substrate depenence of contraction-related heat production in isolated guinea-pig ventricular muscle. 125*P*

DAVIES G.J. *see* CROSSMAN D.C., DASHWOOD M.R., DAVIES G.J., LARKIN S., MASERI A., SPYER K.M. & YACOUB M. Coronary vasodilatation *in vivo* by substance P and the distribution of substance P and calcitonin gene-related peptide- (CGRP)-binding sites in human coronary artery. (C) 15*P*

DAYING Han *see* ACHENBACH C., DAYING Han, DARMER M. & SIENKO S. Effects of external calcium on the kinetics of beat-dependent sodium loading in sheep cardiac Purkinje fibres. 122*P*

DEFFEBACH M.E., SALONEN R.O. & WEBBER S.E. Independent effects of hypertonic fluids and cooling on the tracheal vasculature and smooth muscle in the anaesthetized dog. (C) 33*P*

DEFFEBACH M.E. *see* SALONEN R.O., DEFFEBACH M.E. & WIDDICOMBE J.G. Cold dry air-induced smooth muscle and vascular responses in the trachea of the anaesthetized dog. (C) 35*P*

DEHAY Collette *see* BULLIER Jean, DEHAY Collette & KENNEDY Henry A double-labelling investigation of the cortical inputs to visual area V1 and V2 of the newborn monkey. (C) 65*P*

DE HEMPTINNE A. & VANHEEL B. Intracellular pH and Na^+ activity during simulated ischaemia in isolated guinea-pig ventricular muscle. 115*P*

DÉLÈZE J. *see* BASTIDE B., DÉLÈZE J. & HERVÉ J.C. Segmental electrical uncoupling of mammalian auricle after calcium repletion *in vitro*. 138*P*

DE NUCCI G. *see* ANTUNES E., DE NUCCI G. & VANE J.R. Endothelin releases eicosanoids from and is removed by isolated perfused lungs of the guinea-pig. (C) 40*P*

DIPOLO R. *see* ALLEN T.J.A., DIPOLO R. & ROJAS H. Effects of external lithium and internal calcium on the Ca_o affinity of reverse sodium–calcium exchange in the dialysed squid axon. 136*P*

DONALDSON G.C. & NEWSTEAD C.G. In man at rest undergoing haemodialysis (HD), reduction in arterial potassium (K_a) does not influence minute ventilation (V_E). (C) 29*P*

DRINKHILL M.J., KAYE D. & MARY D.A.S.G. Reflex decrease in coronary flow from atrial receptor stimulation in the anaesthetized dog. 140*P*

DUCHATEAU J.J. *see* ASHLEY C.C., DUCHATEAU J.J. & GRIFFITHS P.J. Shortening velocity and ATPase activity in skinned muscle fibres from *Balanus nubilus*. (C) 76*P*

DURKIN John T. & REEVES John P. Na–Ca exchange in bovine cardiac vesicles: is *trans*-calcium necessary? 134*P*

EISENBERG R.S., HAINSWORTH Atticus H. & LEVIS R.A. Open-channel noise in the potassium channel of lobster sarcoplasmic reticulum. (C) 101*P*

EISNER D.A., O'NEILL S.C., VALDEOLMILLOS M. & WRAY Susan The effects of extracellular Na on $[Ca^{2+}]_i$ and ^{45}Ca efflux in cultured smooth muscle cells from the guinea-pig taenia coli. (C) 80*P*

EISNER D.A., PECKETT W.R.C. & WARE M.J. The effects of α-cyano-4-(OH)-cinnamic acid (CHC) on lactate efflux from isolated perfused rat heart. 113*P*

ELDER H.Y. *see* BOVELL D.L., ELDER H.Y., JENKINSON D. McEWAN & WILSON S.M. Calcium involvement in the regulation of potassium efflux in the human isolated sweat gland. (C) 104*P*

ELLIS D. *see* BRIGHT C.M. & ELLIS D. The effect of temperature on intracellular pH (pH_i) and the response to hypoxia in quiescent sheep heart Purkinje fibres *in vitro*. 119*P*

ELLORY J.C., FERVENZA F.C., HARVEY C.M. & HENDRY B.M. Erythrocyte amino acid transport in patients on haemodialysis. (C) 10*P*

ELLORY J.C., FERVENZA F.C., HARVEY C.M. & HENDRY B.M. Heterogeneous amino acid exchange in the human erythrocyte membrane. (C) 11*P*

ELZINGA G. & LÄNNERGREN J. Relaxation and labile heat in isolated single muscle fibres of *Xenopus laevis*. (C) 72*P*

ELZINGA G. *see* DAUT J. & ELZINGA G. Substrate depenence of contraction-related heat production in isolated guinea-pig ventricular muscle. 125*P*

EMERY C.J. & RUSSELL P.C. Action of almitrine on isolated perfused lungs of chronically hypoxic rats. (C) 32*P*

ERDMANN R., LÜTTGAU H.Ch. & MELZER W. The effect of Devapamil (D888) on force and Ca current in isolated frog skeletal muscle fibres. (C) 73*P*

ESKESEN K., NIELSEN R. & USSING H.H. Mechanism of isotonic solute transport in glands. (C) 94*P*

EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Task-dependent changes in the cutaneomuscular reflex response of human first dorsal interosseous muscle studied during development. (C) 61*P*

EVANS E.F. *see* COOPER N.P. & EVANS E.F. Anomalous temporal discharge patterns in cochlear nerve fibres of the anaesthetized guinea-pig. (C) 64*P*

EVANS M.G. *see* CRAWFORD A.C., EVANS M.G. & FETTIPLACE R. A rapid line-scan camera system applied to movements of cochlear hair cells. (D) 5*P*

FELDBERG W., PYKE D.A. & STUBBS W.A. Hyper- and hypoglycaemia produced in anaesthetized cats by phentolamine. (C) 106*P*

FERRARI G. *see* CASIROLA D., FERRARI G., GASTALDI G., PARTRINI C. & RINDI G. Erratum: *Journal of Physiology* **398** (1988) 615

FERVENZA F.C. *see* ELLORY J.C., FERVENZA F.C., HARVEY C.M. & HENDRY B.M. Erythrocyte amino acid transport in patients on haemodialysis. (C) 10*P*

FERVENZA F.C. *see* ELLORY J.C., FERVENZA F.C., HARVEY C.M. & HENDRY B.M. Heterogeneous amino acid exchange in the human erythrocyte membrane. (C) 11*P*

FETTIPLACE R. *see* CRAWFORD A.C., EVANS M.G. & FETTIPLACE R. A rapid line-scan camera system applied to movements of cochlear hair cells. (D) 5*P*

FORSYTHE I.D., MAYER M.L. & WESTBROOK G.L. Glycine and zinc modulate the NMDA-receptor-mediated monosynaptic EPSP recorded between mouse hippocampal neurones in culture. (C) 53*P*

FOZZARD H.A., HANCK D.A. & SHEETS M.F. Retardation of gating currents by negative holding potentials in single canine cardiac Purkinje cells. (C) 93P

FRIEDLAND J.S., OLIVER D.O., PATERSON D.J. & ROBBINS P.A. The ventilatory response to the lowering of potassium with insulin and dextrose in patients with hyperkalaemia. (C) 30P

FRY C.H. *see* BLATTER L.A., FRY C.H., HALL S.K. & MCGUIGAN J.A.S. Concerning the presentation of data obtained with ion-selective electrodes. 120P

FRYER M.W., NEERING I.R. & STEPHENSON D.G. Effects of 2,3-butanedione monoxime on the contractile activation properties of fast- and slow-twitch rat muscle fibres. 53

GADSBY David C., NAKAO Masakazu, NODA Mami & SHEPHERD R. Neal [Na] dependence of outward Na/Ca exchange current in guinea-pig ventricular myocytes. 135P

GANDEVIA S.C. & MCKENZIE D.K. Activation of human muscles at short muscle lengths during maximal static efforts. 599

GARCIA-SANCHO J. *see* ALVAREZ J., GARCIA-SANCHO J., MOLLINEDO F. & SANCHEZ A. Intracellular Ca^{2+} potentiates Na^+/H^+ exchange and cell differentiation induced by phorbol esters in the human cell line U937. (C) 91P

GARCIA-SANCHO J. *see* ALVAREZ J. & GARCIA-SANCHO J. Irreversible inhibition of Ca^{2+}-dependent K^+ channels of human red cells by *Notechis scutatus* venom. (C) 97P

GARCÍA-SANCHO Javier & LEW Virgilio L. Detection and separation of human red cells with different calcium contents following uniform calcium permeabilization. 505

GARCÍA-SANCHO Javier & LEW Virgilio L. Heterogeneous calcium and adenosine triphosphate distribution in calcium-permeabilized human red cells. 523

GARCÍA-SANCHO Javier & LEW Virgilio L. Properties of the residual calcium pools in human red cells exposed to transient calcium loads. 541

GARCÍA-SANCHO Javier *see* ALMARAZ Laura, GARCÍA-SANCHO Javier & LEW Virgilio L. Calcium-induced conversion of adenine nucleotides to inosine monophosphate in human red cells. 557

GARDINER S.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic responses to S.C. noradrenaline (NA) in conscious Long Evans and Brattleboro rats. (C) 19P

GARDINER S.M. *see* BENNETT T., GARDINER S.M. & TOMLINSON K.C. Differential effects of angiotensin-converting enzyme (ACE) inhibitors and angiotensin II (AII) analogues on blood pressure in conscious, water-deprived Brattleboro rats. (C) 20P

GASTALDI G. *see* CASIROLA D., FERRARI G., GASTALDI G., PARTRINI C. & RINDI G. Erratum: *Journal of Physiology* **398** (1988) 615

GIELEN C.C.A.M., RAMAEKERS L. & VAN ZUYLEN E.J. Long-latency stretch reflexes as co-ordinated functional responses in man. 275

GILBERT Susan *see* BOLSOVER Stephen, GILBERT Susan & SPECTOR Ilan Motility at the growth cone of N1E-115 neuroblastoma cells: effect of Ca^{2+} injection. (C) 86P

GILLIAM M. *see* ALLSOP P., ARNOT R., GILLIAM M., HALL G.M. & LEWIS S.M. Does splenic autotransfusion occur during high-intensity cycle excercise in man? (C) 24P

GIRALDEZ F., SEPÚLVEDA F.V. & SHEPPARD D.N. An outward rectifying Cl^--selective channel in isolated *Necturus* enterocytes. (C) 102P

GLITSCH H.G., KRAHN T. & PUSCH H. Na pump current–voltage relationship of isolated sheep cardiac Purkinje cells at various intracellular Na concentration. 123P

GORDON Tessa *see* BAMBRICK Linda L. & GORDON Tessa Neural regulation of [^{3}H]saxitoxin binding site numbers in rat neonatal muscle. 263

GOTTESMAN Jon *see* BURKHARDT Dwight A., GOTTESMAN Jon & THORESON Wallace B. Prolonged depolarization in turtle cones evoked by current injection and stimulation of the receptive field surround. 329

GREEN Roger, GREENWOOD Susan L. & WHITE Stanley The effects of anions on fluid reabsorption from the proximal convoluted tubule of the rat. 103

GREENWOOD Susan L. *see* GREEN Roger, GREENWOOD Susan L. & WHITE Stanley The effects of anions on fluid reabsorption from the proximal convoluted tubule of the rat. 103

GRÉLOT L. *see* BIANCHI A.L., GRÉLOT L., ISCOE S. & REMMERS J.E. Electrophysiological properties of rostral medullary respiratory neurones in the cat: an intracellular study. 293

GRIFFITHS P.J. *see* ASHLEY C.C., DUCHATEAU J.J. & GRIFFITHS P.J. Shortening velocity and ATPase activity in skinned muscle fibres from *Balanus nubilus*. (C) 76P

GRIFFITHS P.J. *see* ASHLEY C.C., GRIFFITHS P.J. & HODGSON S. Weakly attached states in myofibrillar bundles from *Balanus nubilus*. (C) 77*P*

GUZ A. *see* BENCHETRIT G., BODOCCO S., GUZ A., PHAM DINH T. & SHEA S.A. Long-term reproducibility of the breathing pattern in adult humans at rest. 142*P*

HAINSWORTH Atticus H. *see* EISENBERG R.S., HAINSWORTH Atticus H. & LEVIS R.A. Open-channel noise in the potassium channel of lobster sarcoplasmic reticulum. (C) 101*P*

HAINSWORTH R. *see* CRISP A.J., HAINSWORTH R. & TUTT S.M. The absence of cardiovascular and respiratory responses to changes in right ventricular pressure in anaesthetized dogs. 1

HALL G.M. *see* ALLSOP P., ARNOT R., GILLIAM M., HALL G.M. & LEWIS S.M. Does splenic autotransfusion occur during high-intensity cycle excercise in man? (C) 24*P*

HALL S.K. *see* BLATTER L.A., FRY C.H., HALL S.K. & MCGUIGAN J.A.S. Concerning the presentation of data obtained with ion-selective electrodes. 120*P*

HALLAM Trevor J., JACOB Ron, MERRITT Janet E. & RINK Timothy J. Spiking of cytoplasmic free calcium in the isolated histamine stimulated human umbilical vein endothelial cells: effect of calcium removal. (C) 143*P*

HAMANN W. *see* BAUMANN K.I., HAMANN W. & LEUNG M.S. Reversible suppression of responsiveness of slowly adapting type I mechanoreceptors in the anaesthetized rat following intradermal injection of neomycin. (C) 63*P*

HAMMOND P. & POMFRETT C.J.D. Visual cortical neurones in the anaesthetized cat: influence of spatial frequency on tuning for orientation and direction. (C) 66*P*

HAMMOND P. & POMFRETT C.J.D. Adaptation and motion after-effects in visual cortical neurones of the anaesthetized cat: dependence on orientation. (C) 68*P*

HANCK D.A. *see* FOZZARD H.A., HANCK D.A. & SHEETS M.F. Retardation of gating currents by negative holding potentials in single canine cardiac Purkinje cells. (C) 93*P*

HARPER E.A., HILL R.G., HUNTER J.C. & HUGHES J. Isolation of endogenous opioid-like material from rat blood. (C) 110*P*

HARRISON Linda M. *see* EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Task-dependent changes in the cutaneomuscular reflex response of human first dorsal interosseous muscle studied during development. (C) 61*P*

HARRISON S.M., LAMONT C., MILLER D.J. & STEELE D.S. Sulmazol (AR L 115BS) induces caffeine-like contractures in mammalian cardiac muscle selectively skinned with saponin. 124*P*

HART J. *see* ABBOTT N.J., HART J., ROGAC L., TAYLOR M. & ZLOKOVIĆ B.V. Amino acid transport by the glial blood–brain barrier of the anaesthetized dogfish. (C) 25*P*

HART J. *see* ABBOTT N.J. & HART J. Glutamate and GABA transport by the glial blood–brain barrier of the anaesthetized dogfish. 141*P*

HARVEY C.M. *see* ELLORY J.C., FERVENZA F.C., HARVEY C.M. & HENDRY B.M. Erythrocyte amino acid transport in patients on haemodialysis. (C) 10*P*

HARVEY C.M. *see* ELLORY J.C., FERVENZA F.C., HARVEY C.M. & HENDRY B.M. Heterogeneous amino acid exchange in the human erythrocyte membrane. (C) 11*P*

HARVEY R.D. & HUME J.R. Adrenergic and cholinergic control of the delayed rectifier K^+ current in isolated guinea-pig ventricular myocytes involves GTP-binding proteins. (C) 99*P*

HELLSTRAND Per & LYDRUP Marie-Louise Spontaneous electrical and contractile activity correlated to $^{86}Rb^+$ efflux in smooth muscle of guinea-pig mesotubarium. 587

HENDRY B.M. *see* ELLORY J.C., FERVENZA F.C., HARVEY C.M. & HENDRY B.M. Erythrocyte amino acid transport in patients on haemodialysis. (C) 10*P*

HENDRY B.M. *see* ELLORY J.C., FERVENZA F.C., HARVEY C.M. & HENDRY B.M. Heterogeneous amino acid exchange in the human erythrocyte membrane. (C) 11*P*

HERVÉ J.C. *see* BASTIDE B., DÉLÈZE J. & HERVÉ J.C. Segmental electrical uncoupling of mammalian auricle after calcium repletion *in vitro*. 138*P*

HESS R.F. The site of suppression in human amblyopia. (C) 70*P*

HESS Robert R. *see* BAKER Jr Curtis L., HESS Robert R., OLSEN Borgar T. & ZRENNER Eberhart Current source density analysis of linear and non-linear components of the primate electro-retinogram. 155

HILL D.K. & MERTON P.A. Recording contractions of human muscles with a pressure probe. (D) 6*P*

HILL R.G. *see* HARPER E.A., HILL R.G., HUNTER J.C. & HUGHES J. Isolation of endogenous opioid-like material from rat blood. (C) 110*P*

HILLHOUSE E.W. & MILTON N.G.N. The effect of acetylcholine, serotonin and GABA on the release of immunoreactive CRF-41 and AVP from the rat hypothalamus *in vitro*. (C) 56*P*

HLA-YEE-YEE & SHIRLEY D.G. Lithium clearance in healthy women during the menstrual cycle. (C) 109*P*

HODGSON S. *see* ASHLEY C.C., GRIFFITHS P.J. & HODGSON S. Weakly attached states in myofibrillar bundles from *Balanus nubilus*. (C) 77*P*

HODSON S.A., O'LEARY D. & WATKINS Sharon Experimental verification of the Donnan theory of swelling in the isolated cornea of the ox. (C) 105*P*

HOLLINGWORTH S. *see* BAYLOR S.M. & HOLLINGWORTH S. Erratum: *Journal of Physiology* **403** (1988) 616

HOWARD R.S. & SEARS T.A. The effects of morphine on the respiratory activity of thoracic motoneurones in the anaesthetized rabbit. (C) 43*P*

HOWELLS Kathryn D. *see* CORFIELD D.R., CROSS Brenda A., HOWELLS Kathryn D., SEMPLE S.J.G. & STIDWILL R.P. An improved system for recording pH oscillations in an arterio-venous shunt in man. (D) 7*P*

HUGHES J. *see* HARPER E.A., HILL R.G., HUNTER J.C. & HUGHES J. Isolation of endogenous opioid-like material from rat blood. (C) 110*P*

HUME J.R. *see* HARVEY R.D. & HUME J.R. Adrenergic and cholinergic control of the delayed rectifier K^+ current in isolated guinea-pig ventricular myocytes involves GTP-binding proteins. (C) 99*P*

HUME J.R. *see* BERLIN J.R., HUME J.R. & LEDERER W.J. $[Ca^{2+}]_i$-activated 'creep' currents in guinea-pig ventricular myocytes. 128*P*

HUNTER J.C. *see* HARPER E.A., HILL R.G., HUNTER J.C. & HUGHES J. Isolation of endogenous opioid-like material from rat blood. (C) 110*P*

INOUE M., NAKAJIMA S. & NAKAJIMA Y. Somatostatin induces an inward rectification in rat locus coeruleus neurones through a pertussis toxin-sensitive mechanism. 177

ISCOE S. *see* BIANCHI A.L., GRÉLOT L., ISCOE S. & REMMERS J.E. Electrophysiological properties of rostral medullary respiratory neurones in the cat: an intracellular study. 293

ITO Y., KURIYAMA H. & PARKER I. Calcium transients evoked by electrical stimulation of smooth muscle from guinea-pig ileum recorded by the use of Fura-2. 117

IWAMOTO H. *see* AMEMIYA Y., IWAMOTO H., KOBAYASHI T., SUGI H., TANAKA H. & WAKABAYASHI K. Time-resolved X-ray diffraction studies on the effect of slow length changes on tetanized frog skeletal muscle. 231

JACOB Ron *see* HALLAM Trevor J., JACOB Ron, MERRITT Janet E. & RINK Timothy J. Spiking of cytoplasmic free calcium in the isolated histamine stimulated human umbilical vein endothelial cells: effect of calcium removal. (C) 143*P*

JACOB T.J.C. Inward and outward currents in isolated epithelial cells of the bovine ciliary body. (C) 103*P*

JACOBI M.S., PATIL CP. & SAUNDERS K.B. Estimates of chemoreceptor gain from single breaths or short pulses of inhaled CO_2 in man. (C) 39*P*

JAMES M.A. & JONES J.V. The role of wall stress in the pathogenesis of ventricular arrhythmia in the isolated working rat heart. (C) 18*P*

JAY M.T. & LEVER M.J. Transmural pressure dependence of EDTA and albumin flux across the rabbit isolated carotid artery wall. (C) 26*P*

JENKINSON D. MCEWAN *see* BOVELL D.L., ELDER H.Y., JENKINSON D. MCEWAN & WILSON S.M. Calcium involvement in the regulation of potassium efflux in the human isolated sweat gland. (C) 104*P*

JOHNSTON D. & WILLIAMS S.H. Muscarine depresses long-term potentiation in CA3 neurones of the rat hippocampus slice *in vitro*. (C) 49*P*

JONES D.A. *see* CADY E.B., JONES D.A., LYNN J. & NEWHAM D.J. Monobasic phosphate and force loss in fatigued human muscle. (C) 22*P*

JONES J.V. *see* JAMES M.A. & JONES J.V. The role of wall stress in the pathogenesis of ventricular arrhythmia in the isolated working rat heart. (C) 18*P*

JONES J.V. *see* CHANNER K.S. & JONES J.V. Changes in the pattern of transmitral blood flow during respiration in man. (C) 21*P*

KAPPAGODA C.T. & RAVI K. The effect of reducing the concentration of plasma proteins on the activity of rapidly adapting receptors in the lung of the anaesthetized dog. (C) 42*P*

KAWANO Y., TANOKURA M. & YAMADA K. Phosphorus nuclear magnetic resonance studies on the effect of duration of contraction in bull-frog skeletal muscles. 243

KAYE D. *see* DRINKHILL M.J., KAYE D. & MARY D.A.S.G. Reflex decrease in coronary flow from atrial receptor stimulation in the anaesthetized dog. 140*P*

KELLY J.S. & PENINGTON N.J. Membrane currents recorded from acutely dissociated dorsal raphe neurones of the adult rat. (C) 47*P*

KENDRICK K.M. *see* BALDWIN B.A. & KENDRICK K.M. Sodium appetite modifies activity of cells in the zona incerta of sheep which respond to the sight or visual approach of food. (C) 60*P*

KENNEDY Henry *see* BULLIER Jean, DEHAY Collette & KENNEDY Henry A double-labelling investigation of the cortical inputs to visual area V1 and V2 of the newborn monkey. (C) 65*P*

KENTISH J.C. *see* ALLEN D.G. & KENTISH J.C. Calcium concentration in the myoplasm of skinned ferret ventricular muscle following changes in muscle length. 489

KILPATRICK I.C., NEAL J.W., PEARSON R.C.A. & POWELL T.P.S. A neurochemical contribution to studies of hypertrophy in nigrotectal 4-aminobutanoic acid (GABA)-containing neurones following removal of the frontal cortex and caudate-putamen in the rat. (C) 55*P*

KIMURA Junko Na–Ca exchange and Ca-sensitive non-selective cation current components of transient inward current in isolated cardiac ventricular cells of the guinea-pig. (C) 79*P*

KING G.F. *see* BOYD C.A.R., CAMPBELL I.D., KING G.F. & QUIRK P.G. Proton NMR studies on epithelial cells isolated from chicken small intestine. (C) 14*P*

KIRBY M.S. *see* BOYETT M.R., KIRBY M.S. & ORCHARD C.H. Rapid regulation of the 'second inward current' by intracellular calcium in isolated rat and ferret ventricular myocytes. 77

KIRBY M.S. *see* BOYETT M.R., KIRBY M.S. & ORCHARD C.H. The effect of acidosis in single ventricular cells isolated from ferret heart. 114*P*

KIRKMAN E. *see* DALY M. de Burgh, KIRKMAN E. & WOOD L.M. Cardiovascular responses to stimulation of cardiac receptors in the cat and their modification by changes in respiration. 349

KOBAYASHI T. *see* AMEMIYA Y., IWAMOTO H., KOBAYASHI T., SUGI H., TANAKA H. & WAKABAYASHI K. Time-resolved X-ray diffraction studies on the effect of slow length changes on tetanized frog skeletal muscle. 231

KOESLAG J.H. *see* ADAMS J.H. & KOESLAG J.H. Carbohydrate homeostasis and post-exercise ketosis in trained and untrained rats. 453

KONDO K. *see* CYNK E., KONDO K., SALVEMINI D., SNEDDON J.M. & VANE J.R. Human monocytes and neutrophils inhibit platelet aggregation by releasing an EDRF-like factor. (C) 28*P*

KRAHN T. *see* GLITSCH H.G., KRAHN T. & PUSCH H. Na pump current–voltage relationship of isolated sheep cardiac Purkinje cells at various intracellular Na concentration. 123*P*

KULLMANN D.M., MARTIN-BODY R.L. & REDMAN S.J. Reduction of single fibre group Ia excitatory postsynaptic potentials and currents by general anaesthetics in the spinal cord of the decerebrate cat. (C) 46*P*

KURIYAMA H. *see* ITO Y., KURIYAMA H. & PARKER I. Calcium transients evoked by electrical stimulation of smooth muscle from guinea-pig ileum recorded by the use of Fura-2. 117

KUROKAWA Makoto & TSUNOO Akinobu Parasympathetic depression of vas deferens contraction in the guinea-pig involves adenosine receptors. 135

KUSMIC C., MARCHIAFAVA P.L. & STRETTOI E. A new type of photoresponse by cells of the isolated trout pineal body. (C) 84*P*

LAGNADO L. *see* CERVETTO L., LAGNADO L. & MCNAUGHTON P.A. The effects of internal Na on the activation of the Na:Ca exchange in isolated salamander rods. (C) 81*P*

LAGNADO L. & MCNAUGHTON P.A. The stoichiometry of Na:Ca exchange in isolated salamander rod outer segments. (C) 82*P*

LAL S. & MCLEOD M. A computer-based simulation of the calcium control of synaptic transmission in the pre-synaptic terminal of the giant synapse of the squid. (D) 4*P*

LAMB Angela *see* BOLSOVER Stephen, LAMB Angela & SILVER R. Angus Measurement of $[Ca^{2+}]_i$ in neuronal growth cones of N1E-115 neuroblastoma cells of the mouse. (C) 87*P*

LAMB T.D. & MATTHEWS H.R. Incorporation of analogues of GTP and GDP into rod photoreceptors isolated from the tiger salamander. 463

LAMONT C. *see* HARRISON S.M., LAMONT C., MILLER D.J. & STEELE D.S. Sulmazol (AR L 115BS) induces caffeine-like contractures in mammalian cardiac muscle selectively skinned with saponin. 124*P*

LÄNNERGREN J. *see* ELZINGA G. & LÄNNERGREN J. Relaxation and labile heat in isolated single muscle fibres of *Xenopus laevis*. (C) 72*P*

LARKIN S. *see* CROSSMAN D.C., DASHWOOD M.R., DAVIES G.J., LARKIN S., MASERI A., SPYER K.M. & YACOUB M. Coronary vasodilatation *in vivo* by substance P and the distribution of substance P and calcitonin gene-related peptide- (CGRP)-binding sites in human coronary artery. (C) 15*P*

LAWSON J.F. *see* BARNES G.R. & LAWSON J.F. Gaze control during head-free pursuit of pseudo-random target motion in man. (C) 71*P*

LAZDUNSKI M., ROMEY G. & VAN RENTERGHEM C. Bombesin modulates the spontaneous electrical activity in rat aortic cells (A7r5 cell line) by an action on three different types of ionic channels. (C) 100*P*

LEDERER W.J. & NICHOLS C.G. Activation of ATP-sensitive K^+ channels in isolated rat ventricular myocytes exposed to complete metabolic blockade. (C) 98*P*

LEDERER W.J. *see* BERLIN J.R., HUME J.R. & LEDERER W.J. $[Ca^{2+}]_i$-activated 'creep' currents in guinea-pig ventricular myocytes. 128*P*

LEDERIS K. *see* BOUNTZIOUKAS S. & LEDERIS K. Experimental modulation of plasma corticosterone in the anaesthetized bullfrog (*Rana catesbeiana*). (C) 112*P*

LEE J.A. *see* ALLEN D.G., LEE J.A. & WESTERBLAD H. Intracellular calcium during fatigue in isolated single fibres from *Xenopus* toe muscles. (C) 75*P*

LEMON R.N. & REA P.A. The use of spike-triggered averaging for identification of motor unit size in primate hand muscles. (D) 3*P*

LEMON R.N. & MANTEL G.W.H. The monosynaptic action of monkey corticospinal neurones upon motoneurones of the intrinsic thumb muscles. (C) 67*P*

LEUNG D.T.Y., TADESSE K. & YUEN R.C.F. Lactose malabsorption in Hong Kong Chinese children. (C) 23*P*

LEUNG M.S. *see* BAUMANN K.I., HAMANN W. & LEUNG M.S. Reversible suppression of responsiveness of slowly adapting type I mechanoreceptors in the anaesthetized rat following intradermal injection of neomycin. (C) 63*P*

LEVER M.J. *see* JAY M.T. & LEVER M.J. Transmural pressure dependence of EDTA and albumin flux across the rabbit isolated carotid artery wall. (C) 26*P*

LEVI Allan J. The sodium–potassium pump of isolated ventricular myocytes from guinea-pig hearts. 121*P*

LEVIS R.A. *see* EISENBERG R.S., HAINSWORTH Atticus H. & LEVIS R.A. Open-channel noise in the potassium channel of lobster sarcoplasmic reticulum. (C) 101*P*

LEW Virgilio L. *see* GARCÍA-SANCHO Javier & LEW Virgilio L. Detection and separation of human red cells with different calcium contents following uniform calcium permeabilization. 505

LEW Virgilio L. *see* GARCÍA-SANCHO Javier & LEW Virgilio L. Heterogeneous calcium and adenosine triphosphate distribution in calcium-permeabilized human red cells. 523

LEW Virgilio L. *see* GARCÍA-SANCHO Javier & LEW Virgilio L. Properties of the residual calcium pools in human red cells exposed to transient calcium loads. 541

LEW Virgilio L. *see* ALMARAZ Laura, GARCÍA-SANCHO Javier & LEW Virgilio L. Calcium-induced conversion of adenine nucleotides to inosine monophosphate in human red cells. 557

LEW Virgilio L. *see* DAGHER Georges & LEW Virgilio L. Maximal calcium extrusion capacity and stoichiometry of the human red cell calcium pump. 569

LEWIS S.M. *see* ALLSOP P., ARNOT R., GILLIAM M., HALL G.M. & LEWIS S.M. Does splenic autotransfusion occur during high-intensity cycle excercise in man? (C) 24*P*

LIEBERMAN Melvyn & LIU Shi Na dependent Cl/HCO_3 exchange and pH_i regulation in cultured chick heart cells. 116*P*

LIU Shi *see* LIEBERMAN Melvyn & LIU Shi Na dependent Cl/HCO_3 exchange and pH_i regulation in cultured chick heart cells. 116*P*

LOVICK T.A. Atrial natriuretic factor activates the inhibitory vagal input to paraventriculo-spinal neurones in anaesthetized rats. (C) 58*P*

LUNG M.A. & WANG J.C.C. Nasal vascular and airway responses to electrical stimulation of ethmoidal and infraorbital nerves in the anaesthetized dog. (C) 41*P*

LUNN E.R. *see* BROWN M.C., LUNN E.R. & PERRY V.H. Rapid regeneration of crushed motor axons can occur in a strain of mice in the absence of degeneration in the peripheral stump. (C) 48*P*

LÜTTGAU H.Ch. *see* ERDMANN R., LÜTTGAU H.Ch. & MELZER W. The effect of Devapamil (D888) on force and Ca current in isolated frog skeletal muscle fibres. (C) 73*P*

LYDRUP Marie-Louise *see* HELLSTRAND Per & LYDRUP Marie-Louise Spontaneous electrical and contractile activity correlated to $^{86}Rb^{+}$ efflux in smooth muscle of guinea-pig mesotubarium. 587

LYNN J. *see* CADY E.B., JONES D.A., LYNN J. & NEWHAM D.J. Monobasic phosphate and force loss in fatigued human muscle. (C) 22*P*

MACCABEE P.J. *see* AMASSIAN V.E., CRACCO R.Q. & MACCABEE P.J. Transcallosal responses elicited by focal magnetic coil stimulation of human frontal cortex. (C) 69*P*

MCGUIGAN J.A.S. *see* BLATTER L.A., FRY C.H., HALL S.K. & MCGUIGAN J.A.S. Concerning the presentation of data obtained with ion-selective electrodes. 120*P*

MCKENZIE D.K. *see* GANDEVIA S.C. & MCKENZIE D.K. Activation of human muscles at short muscle lengths during maximal static efforts. 599

MCLEOD M. *see* LAL S. & MCLEOD M. A computer-based simulation of the calcium control of synaptic transmission in the pre-synaptic terminal of the giant synapse of the squid. (D) 4*P*

MCNAUGHTON P.A. *see* CERVETTO L., LAGNADO L. & MCNAUGHTON P.A. The effects of internal Na on the activation of the Na:Ca exchange in isolated salamander rods. (C) 81*P*

MCNAUGHTON P.A. *see* LAGNADO L. & MCNAUGHTON P.A. The stoichiometry of Na:Ca exchange in isolated salamander rod outer segments. (C) 82*P*

MADDOCKS S. & SETCHELL B.P. The composition of extracellular interstitial fluid collected with a push–pull cannula from the testes of adult rats. 363

MANTEL G.W.H. *see* LEMON R.N. & MANTEL G.W.H. The monosynaptic action of monkey corticospinal neurones upon motoneurones of the intrinsic thumb muscles. (C) 67*P*

MARCHIAFAVA P.L. *see* KUSMIC C., MARCHIAFAVA P.L. & STRETTOI E. A new type of photoresponse by cells of the isolated trout pineal body. (C) 84*P*

MARKIEWICZ M., RAMSDEN C.A. & WALTERS D.V. Changes in the effect of amiloride on liquid flow across the pulmonary epithelium in the anaesthetized sheep during development. (C) 36*P*

MARSHALL Janice M. & METCALFE J.D. Analysis of the cardiovascular changes induced in the rat by graded levels of systemic hypoxia. 385

MARTIN-BODY R.L. Brain transections demonstrate the central origin of hypoxic ventilatory depression in carotid body-denervated rats. 41

MARTIN-BODY R.L. *see* KULLMANN D.M., MARTIN-BODY R.L. & REDMAN S.J. Reduction of single fibre group Ia excitatory postsynaptic potentials and currents by general anaesthetics in the spinal cord of the decerebrate cat. (C) 46*P*

MARY D.A.S.G. *see* DRINKHILL M.J., KAYE D. & MARY D.A.S.G. Reflex decrease in coronary flow from atrial receptor stimulation in the anaesthetized dog. 140*P*

MASERI A. *see* CROSSMAN D.C., DASHWOOD M.R., DAVIES G.J., LARKIN S., MASERI A., SPYER K.M. & YACOUB M. Coronary vasodilatation *in vivo* by substance P and the distribution of substance P and calcitonin gene-related peptide- (CGRP)-binding sites in human coronary artery. (C) 15*P*

MASON R. *see* BROOKS A. & MASON R. The electrophysiological effects of melatonin on rat suprachiasmatic and paraventricular hypothalamic neurones *in vitro*. (C) 57*P*

MASON W.T., SIKDAR S.K. & ZOREC R. Ca^{2+}-induced cell membrane capacitance increase in bovine lactotrophs *in vitro*. (C) 88*P*

MATSUMOTO M., SASAKI K., SATO M., SHOZUSHIMA M. & TAKASHIMA K. Dopamine-induced depolarizing responses associated with negative slope conductance in LB-cluster neurones of *Aplysia*. 199

MATTHEWS H.R. *see* LAMB T.D. & MATTHEWS H.R. Incorporation of analogues of GTP and GDP into rod photoreceptors isolated from the tiger salamander. 463

MAYER M.L. *see* FORSYTHE I.D., MAYER M.L. & WESTBROOK G.L. Glycine and zinc modulate the NMDA-receptor-mediated monosynaptic EPSP recorded between mouse hippocampal neurones in culture. (C) 53*P*

MELZER W. *see* ERDMANN R., LÜTTGAU H.Ch. & MELZER W. The effect of Devapamil (D888) on force and Ca current in isolated frog skeletal muscle fibres. (C) 73*P*

MENINI A., NUNN B.J. & TORRE V. Blockade of the cyclic GMP-activated current in isolated salamander retinal rods by organic cations. (C) 85*P*

MERRITT Janet E. *see* HALLAM Trevor J., JACOB Ron, MERRITT Janet E. & RINK Timothy J. Spiking of cytoplasmic free calcium in the isolated histamine stimulated human umbilical vein endothelial cells: effect of calcium removal. (C) 143*P*

MERTON P.A. *see* HILL D.K. & MERTON P.A. Recording contractions of human muscles with a pressure probe. (D) 6*P*

METCALF N.F., METCALF W.K. & WANG X. The differing sensitivities of the haemoglobin of fetal and adult red cells to oxidation by nitrites in man: the role of plasma. (C) 44*P*

METCALF W.K. *see* METCALF N.F., METCALF W.K. & WANG X. The differing sensitivities of the haemoglobin of fetal and adult red cells to oxidation by nitrites in man: the role of plasma. (C) 44*P*

METCALFE J.D. *see* MARSHALL Janice M. & METCALFE J.D. Analysis of the cardiovascular changes induced in the rat by graded levels of systemic hypoxia. 385

MILLER D.J. *see* CAIRNS M.T., MILLER D.J. & O'DOWD J.J. Detection and estimation of carnosine, homocarnosine, *N*-acetyl histidine and its 1-methyl derivative in rat brain by analytical HPLC. (C) 51*P*

MILLER D.J. *see* HARRISON S.M., LAMONT C., MILLER D.J. & STEELE D.S. Sulmazol (AR L 115BS) induces caffeine-like contractures in mammalian cardiac muscle selectively skinned with saponin. 124*P*

MILTON N.G.N. *see* HILLHOUSE E.W. & MILTON N.G.N. The effect of acetylcholine, serotonin and GABA on the release of immunoreactive CRF-41 and AVP from the rat hypothalamus *in vitro*. (C) 56*P*

MOLLINEDO F. *see* ALVAREZ J., GARCIA-SANCHO J., MOLLINEDO F. & SANCHEZ A. Intracellular Ca^{2+} potentiates Na^+/H^+ exchange and cell differentiation induced by phorbol esters in the human cell line U937. (C) 91*P*

MORRISON J.B. & TAYLOR N.A.S. Breathing gas pressure and its effect upon hyperbaric, immersed exercise in man. (C) 37*P*

MORRISON J.B. & TAYLOR N.A.S. Expiratory reserve volume and respiratory relaxation volume disparities during human immersion. (C) 38*P*

NAKAJIMA S. *see* INOUE M., NAKAJIMA S. & NAKAJIMA Y. Somatostatin induces an inward rectification in rat locus coeruleus neurones through a pertussis toxin-sensitive mechanism. 177

NAKAJIMA Y. *see* INOUE M., NAKAJIMA S. & NAKAJIMA Y. Somatostatin induces an inward rectification in rat locus coeruleus neurones through a pertussis toxin-sensitive mechanism. 177

NAKAO Masakazu *see* GADSBY David C., NAKAO Masakazu, NODA Mami & SHEPHERD R. Neal [Na] dependence of outward Na/Ca exchange current in guinea-pig ventricular myocytes. 135*P*

NEAL J.W. *see* KILPATRICK I.C., NEAL J.W., PEARSON R.C.A. & POWELL T.P.S. A neurochemical contribution to studies of hypertrophy in nigrotectal 4-aminobutanoic acid (GABA)-containing neurones following removal of the frontal cortex and caudate-putamen in the rat. (C) 55*P*

NEERING I.R. *see* FRYER M.W., NEERING I.R. & STEPHENSON D.G. Effects of 2,3-butanedione monoxime on the contractile activation properties of fast- and slow-twitch rat muscle fibres. 53

NEWHAM D.J. *see* CADY E.B., JONES D.A., LYNN J. & NEWHAM D.J. Monobasic phosphate and force loss in fatigued human muscle. (C) 22*P*

NEWSTEAD C.G. *see* DONALDSON G.C. & NEWSTEAD C.G. In man at rest undergoing haemodialysis (HD), reduction in arterial potassium (K_a) does not influence minute ventilation (V_E). (C) 29*P*

NICHOLS C.G. *see* LEDERER W.J. & NICHOLS C.G. Activation of ATP-sensitive K^+ channels in isolated rat ventricular myocytes exposed to complete metabolic blockade. (C) 98*P*

NIELSEN R. *see* ESKESEN K., NIELSEN R. & USSING H.H. Mechanism of isotonic solute transport in glands. (C) 94*P*

NODA Mami *see* GADSBY David C., NAKAO Masakazu, NODA Mami & SHEPHERD R. Neal [Na] dependence of outward Na/Ca exchange current in guinea-pig ventricular myocytes. 135*P*

NORMAN P.S.R. Capillary extraction of [7,8-^{3}H]dopamine in the isolated perfused rabbit heart. (C) 16*P*

NUNN B.J. *see* MENINI A., NUNN B.J. & TORRE V. Blockade of the cyclic GMP-activated current in isolated salamander retinal rods by organic cations. (C) 85*P*

O'DOWD J.J. *see* CAIRNS M.T., MILLER D.J. & O'DOWD J.J. Detection and estimation of carnosine, homocarnosine, *N*-acetyl histidine and its 1-methyl derivative in rat brain by analytical HPLC. (C) 51*P*

O'LEARY D. *see* HODSON S.A., O'LEARY D. & WATKINS Sharon Experimental verification of the Donnan theory of swelling in the isolated cornea of the ox. (C) 105*P*

OLIVER D.O. *see* FRIEDLAND J.S., OLIVER D.O., PATERSON D.J. & ROBBINS P.A. The ventilatory response to the lowering of potassium with insulin and dextrose in patients with hyperkalaemia. (C) 30*P*

OLSEN Borgar T. *see* BAKER Jr Curtis L., HESS Robert R., OLSEN Borgar T. & ZRENNER Eberhart Current source density analysis of linear and non-linear components of the primate electro-retinogram. 155

O'Neill S.C. *see* Eisner D.A., O'Neill S.C., Valdeolmillos M. & Wray Susan The effects of extracellular Na on $[Ca^{2+}]_i$ and ^{45}Ca efflux in cultured smooth muscle cells from the guinea-pig taenia coli. (C) 80*P*

O'Neill S.C. & Valdeolmillos M. The effects of fast changes of external calcium on the calcium current and contraction in isolated rat cardiac myocytes. 131*P*

Orchard C.H. *see* Boyett M.R., Kirby M.S. & Orchard C.H. Rapid regulation of the 'second inward current' by intracellular calcium in isolated rat and ferret ventricular myocytes. 77

Orchard C.H. *see* Boyett M.R., Kirby M.S. & Orchard C.H. The effect of acidosis in single ventricular cells isolated from ferret heart. 114*P*

Otani S. *see* Abraham W.C. & Otani S. Maintenance of long-term potentiation in the dentate gyrus requires proteins synthesized shortly after tetanization in the anaesthetized rat. (C) 50*P*

Parker I. A threshold level of inositol trisphosphate is required to trigger intracellular calcium release in *Xenopus* oocytes. (C) 95*P*

Parker I. *see* Ito Y., Kuriyama H. & Parker I. Calcium transients evoked by electrical stimulation of smooth muscle from guinea-pig ileum recorded by the use of Fura-2. 117

Partrini C. *see* Casirola D., Ferrari G., Gastaldi G., Partrini C. & Rindi G. Erratum: *Journal of Physiology* **398** (1988) 615

Paterson D.J. *see* Friedland J.S., Oliver D.O., Paterson D.J. & Robbins P.A. The ventilatory response to the lowering of potassium with insulin and dextrose in patients with hyperkalaemia. (C) 30*P*

Patil CP. *see* Jacobi M.S., Patil CP. & Saunders K.B. Estimates of chemoreceptor gain from single breaths or short pulses of inhaled CO_2 in man. (C) 39*P*

Patmore L. *see* Anderson A.J. & Patmore L. Calcium currents evoked in embryonic chick myocytes during depolarization with an action potential voltage waveform. 126*P*

Patmore L. *see* Anderson A.J., Patmore L. & Spedding M. Calcium channel currents in embryonic chick myocytes. 130*P*

Pearson R.C.A. *see* Kilpatrick I.C., Neal J.W., Pearson R.C.A. & Powell T.P.S. A neurochemical contribution to studies of hypertrophy in nigrotectal 4-aminobutanoic acid (GABA)-containing neurones following removal of the frontal cortex and caudate-putamen in the rat. (C) 55*P*

Peckett W.R.C. *see* Eisner D.A., Peckett W.R.C. & Ware M.J. The effects of α-cyano-4-(OH)-cinnamic acid (CHC) on lactate efflux from isolated perfused rat heart. 113*P*

Penington N.J. *see* Kelly J.S. & Penington N.J. Membrane currents recorded from acutely dissociated dorsal raphe neurones of the adult rat. (C) 47*P*

Perry R.J. *see* Craig A.J. & Perry R.J. Differences in absolute sensitivity and response kinetics between red-, blue- and ultraviolet-sensitive isolated salamander cones. (C) 83*P*

Perry V.H. *see* Brown M.C., Lunn E.R. & Perry V.H. Rapid regeneration of crushed motor axons can occur in a strain of mice in the absence of degeneration in the peripheral stump. (C) 48*P*

Pham Dinh T. *see* Benchetrit G., Bodocco S., Guz A., Pham Dinh T. & Shea S.A. Long-term reproducibility of the breathing pattern in adult humans at rest. 142*P*

Pilsudski R., Rougier O. & Tourneur Y. Is the fading of the acetylcholine effect on K conductance linked to the desensitization of the muscarinic receptor on atrial myocytes isolated from the frog and guinea-pig? 129*P*

Pollard C.E. *see* Crunelli V. & Pollard C.E. A transient inward calcium current in cat and rat thalamic cells *in vitro*. (C) 45*P*

Pomfrett C.J.D. *see* Hammond P. & Pomfrett C.J.D. Visual cortical neurones in the anaesthetized cat: influence of spatial frequency on tuning for orientation and direction. (C) 66*P*

Pomfrett C.J.D. *see* Hammond P. & Pomfrett C.J.D. Adaptation and motion after-effects in visual cortical neurones of the anaesthetized cat: dependence on orientation. (C) 68*P*

Pott L. β-Adrenergic stimulation facilitates Ca^{2+}-induced Ca^{2+}-release from sarcoplasmic reticulum in guinea-pig atrial myocytes. 127*P*

Potts D.J. *see* Beck J.S. & Potts D.J. Effects of sodium co-transport stimulation and step changes in basolateral potassium concentration upon basolateral membrane PD of rabbit proximal convoluted tubule *in vitro*. (C) 9*P*

Powell T.P.S. *see* Kilpatrick I.C., Neal J.W., Pearson R.C.A. & Powell T.P.S. A neurochemical contribution to studies of hypertrophy in nigrotectal 4-aminobutanoic acid (GABA)-containing neurones following removal of the frontal cortex and caudate-putamen in the rat. (C) 55*P*

PRICE A., WEBBER S.E. & WIDDICOMBE J.G. The effect of osmolality on lysozyme output and albumin flux across the ferret *in vitro* trachea. (C) 34*P*

PUSCH H. *see* GLITSCH H.G., KRAHN T. & PUSCH H. Na pump current–voltage relationship of isolated sheep cardiac Purkinje cells at various intracellular Na concentration. 123*P*

PYKE D.A. *see* FELDBERG W., PYKE D.A. & STUBBS W.A. Hyper- and hypoglycaemia produced in anaesthetized cats by phentolamine. (C) 106*P*

QUIRK P.G. *see* BOYD C.A.R., CAMPBELL I.D., KING G.F. & QUIRK P.G. Proton NMR studies on epithelial cells isolated from chicken small intestine. (C) 14*P*

RAMAEKERS L. *see* GIELEN C.C.A.M., RAMAEKERS L. & VAN ZUYLEN E.J. Long-latency stretch reflexes as co-ordinated functional responses in man. 275

RAMSDEN C.A. *see* MARKIEWICZ M., RAMSDEN C.A. & WALTERS D.V. Changes in the effect of amiloride on liquid flow across the pulmonary epithelium in the anaesthetized sheep during development. (C) 36*P*

RAMSDEN C.A. *see* BARKER P.M., BROWN M.J., RAMSDEN C.A., STRANG L.B. & WALTERS D.V. The effect of thyroidectomy in the fetal sheep on lung liquid reabsorption induced by adrenaline or cyclic AMP. 373

RANDALL A.D. *see* CHAPPELL J.B., COLLINGRIDGE G.L., RANDALL A.D. & SCHOFIELD J.G. Cytosolic free Ca^{2+} transients induced by repetitive applications of TRH in cultured single bovine anterior pituitary cells. (C) 89*P*

RAVI K. *see* KAPPAGODA C.T. & RAVI K. The effect of reducing the concentration of plasma proteins on the activity of rapidly adapting receptors in the lung of the anaesthetized dog. (C) 42*P*

REA P.A. *see* LEMON R.N. & REA P.A. The use of spike-triggered averaging for identification of motor unit size in primate hand muscles. (D) 3*P*

REDMAN S.J. *see* KULLMANN D.M., MARTIN-BODY R.L. & REDMAN S.J. Reduction of single fibre group Ia excitatory postsynaptic potentials and currents by general anaesthetics in the spinal cord of the decerebrate cat. (C) 46*P*

REEVES John P. *see* DURKIN John T. & REEVES John P. Na–Ca exchange in bovine cardiac vesicles: is *trans*-calcium necessary? 134*P*

REMMERS J.E. *see* BIANCHI A.L., GRÉLOT L., ISCOE S. & REMMERS J.E. Electrophysiological properties of rostral medullary respiratory neurones in the cat: an intracellular study. 293

RINDI G. *see* CASIROLA D., FERRARI G., GASTALDI G., PARTRINI C. & RINDI G. Erratum: *Journal of Physiology* **398** (1988) 615

RINE Timothy J. *see* HALLAM Trevor J., JACOB Ron, MERRITT Janet E. & RINK Timothy J. Spiking of cytoplasmic free calcium in the isolated histamine stimulated human umbilical vein endothelial cells: effect of calcium removal. (C) 143*P*

ROBBINS P.A. *see* FRIEDLAND J.S., OLIVER D.O., PATERSON D.J. & ROBBINS P.A. The ventilatory response to the lowering of potassium with insulin and dextrose in patients with hyperkalaemia. (C) 30*P*

RODRIGO Glenn C. *see* CHAPMAN R.A. & RODRIGO Glenn C. A rise in sarcoplasmic ionic calcium is needed to initiate cellular disruption in isolated guinea-pig myocytes, during calcium paradox. 139*P*

ROGAC L. *see* ABBOTT N.J., HART J., ROGAC L., TAYLOR M. & ZLOKOVIĆ B.V. Amino acid transport by the glial blood–brain barrier of the anaesthetized dogfish. (C) 25*P*

ROJAS H. *see* ALLEN T.J.A., DIPOLO R. & ROJAS H. Effects of external lithium and internal calcium on the Ca_o affinity of reverse sodium–calcium exchange in the dialysed squid axon. 136*P*

ROMEY G. *see* LAZDUNSKI M., ROMEY G. & VAN RENTERGHEM C. Bombesin modulates the spontaneous electrical activity in rat aortic cells (A7r5 cell line) by an action on three different types of ionic channels. (C) 100*P*

ROUGIER O. *see* PILSUDSKI R., ROUGIER O. & TOURNEUR Y. Is the fading of the acetylcholine effect on K conductance linked to the desensitization of the muscarinic receptor on atrial myocytes isolated from the frog and guinea-pig? 129*P*

RUSSELL P.C. *see* EMERY C.J. & RUSSELL P.C. Action of almitrine on isolated perfused lungs of chronically hypoxic rats. (C) 32*P*

SALONEN R.O. *see* DEFFEBACH M.E., SALONEN R.O. & WEBBER S.E. Independent effects of hypertonic fluids and cooling on the tracheal vasculature and smooth muscle in the anaesthetized dog. (C) 33*P*

SALONEN R.O., DEFFEBACH M.E. & WIDDICOMBE J.G. Cold dry air-induced smooth muscle and vascular responses in the trachea of the anaesthetized dog. (C) 35*P*

SALT T.E. Interactions of glycine and D-serine with responses mediated by *N*-methyl-D-aspartate (NMDA) receptors in the anaesthetized rat's ventrobasal thalamus. (C) 52*P*

SALVEMINI D. *see* CYNK E., KONDO K., SALVEMINI D., SNEDDON J.M. & VANE J.R. Human monocytes and neutrophils inhibit platelet aggregation by releasing an EDRF-like factor. (C) 28*P*

SANCHEZ A. *see* ALVAREZ J., GARCIA-SANCHO J., MOLLINEDO F. & SANCHEZ A. Intracellular Ca^{2+} potentiates Na^+/H^+ exchange and cell differentiation induced by phorbol esters in the human cell line U937. (C) 91*P*

SASAKI K. *see* MATSUMOTO M., SASAKI K., SATO M., SHOZUSHIMA M. & TAKASHIMA K. Dopamine-induced depolarizing responses associated with negative slope conductance in LB-cluster neurones of *Aplysia*. 199

SATO M. *see* MATSUMOTO M., SASAKI K., SATO M., SHOZUSHIMA M. & TAKASHIMA K. Dopamine-induced depolarizing responses associated with negative slope conductance in LB-cluster neurones of *Aplysia*. 199

SAUNDERS K.B. *see* JACOBI M.S., PATIL CP. & SAUNDERS K.B. Estimates of chemoreceptor gain from single breaths or short pulses of inhaled CO_2 in man. (C) 39*P*

SCHOFIELD J.G. *see* CHAPPELL J.B., COLLINGRIDGE G.L., RANDALL A.D. & SCHOFIELD J.G. Cytosolic free Ca^{2+} transients induced by repetitive applications of TRH in cultured single bovine anterior pituitary cells. (C) 89*P*

SEARS T.A. *see* HOWARD R.S. & SEARS T.A. The effects of morphine on the respiratory activity of thoracic motoneurones in the anaesthetized rabbit. (C) 43*P*

SEMPLE S.J.G. *see* CORFIELD D.R., CROSS Brenda A., HOWELLS Kathryn D., SEMPLE S.J.G. & STIDWILL R.P. An improved system for recording pH oscillations in an arterio-venous shunt in man. (D) 7*P*

SEPÚLVEDA F.V. *see* GIRALDEZ F., SEPÚLVEDA F.V. & SHEPPARD D.N. An outward rectifying Cl^--selective channel in isolated *Necturus* enterocytes. (C) 102*P*

SETCHELL B.P. *see* MADDOCKS S. & SETCHELL B.P. The composition of extracellular interstitial fluid collected with a push–pull cannula from the testes of adult rats. 363

SHATTOCK M.J. *see* BERS D.M. & SHATTOCK M.J. Cellular calcium extrusion associated with contraction may underlie the negative force–frequency relationship in isolated rat ventricular muscle. 132*P*

SHEA S.A. *see* BENCHETRIT G., BODOCCO S., GUZ A., PHAM DINH T. & SHEA S.A. Long-term reproducibility of the breathing pattern in adult humans at rest. 142*P*

SHEETS M.F. *see* FOZZARD H.A., HANCK D.A. & SHEETS M.F. Retardation of gating currents by negative holding potentials in single canine cardiac Purkinje cells. (C) 93*P*

SHEPHERD R. Neal *see* GADSBY David C., NAKAO Masakazu, NODA Mami & SHEPHERD R. Neal [Na] dependence of outward Na/Ca exchange current in guinea-pig ventricular myocytes. 135*P*

SHEPPARD D.N. *see* GIRALDEZ F., SEPÚLVEDA F.V. & SHEPPARD D.N. An outward rectifying Cl^--selective channel in isolated *Necturus* enterocytes. (C) 102*P*

SHIRLEY D.G. *see* HLA-YEE-YEE & SHIRLEY D.G. Lithium clearance in healthy women during the menstrual cycle. (C) 109*P*

SHOZUSHIMA M. *see* MATSUMOTO M., SASAKI K., SATO M., SHOZUSHIMA M. & TAKASHIMA K. Dopamine-induced depolarizing responses associated with negative slope conductance in LB-cluster neurones of *Aplysia*. 199

SIENKO S. *see* ACHENBACH C., DAYING Han, DARMER M. & SIENKO S. Effects of external calcium on the kinetics of beat-dependent sodium loading in sheep cardiac Purkinje fibres. 122*P*

SIKDAR S.K. *see* MASON W.T., SIKDAR S.K. & ZOREC R. Ca^{2+}-induced cell membrane capacitance increase in bovine lactotrophs *in vitro*. (C) 88*P*

SILVER Marian & TAYLOR Polly M. Andrenocortical response to anaesthesia in sheep. (C) 108*P*

SILVER R. Angus *see* BOLSOVER Stephen, LAMB Angela & SILVER R. Angus Measurement of $[Ca^{2+}]_i$ in neuronal growth cones of N1E-115 neuroblastoma cells of the mouse. (C) 87*P*

SNEDDON J.M. *see* CYNK E., KONDO K., SALVEMINI D., SNEDDON J.M. & VANE J.R. Human monocytes and neutrophils inhibit platelet aggregation by releasing an EDRF-like factor. (C) 28*P*

SNEYD J.R. *see* BAND D.M. & SNEYD J.R. A versatile, low-cost animal ventilator. (D) 2*P*

SPEAKMAN Elisabeth A. *see* CHAPMAN B.J. & SPEAKMAN Elisabeth A. Cardiac function curves after scald burn injury to the anaesthetized rat. (C) 17*P*

SPECTOR Ilan *see* BOLSOVER Stephen, GILBERT Susan & SPECTOR Ilan Motility at the growth cone of N1E-115 neuroblastoma cells: effect of Ca^{2+} injection. (C) 86*P*

SPEDDING M. *see* ANDERSON A.J., PATMORE L. & SPEDDING M. Calcium channel currents in embryonic chick myocytes. 130*P*

SPITZER K.W. *see* BERS D.M., BRIDGE J.H.B. & SPITZER K.W. Intracellular [Ca] changes during rapid cooling contractures (RCCs) in isolated guinea-pig ventricular myocytes. 133*P*

SPRUCE A. *see* ALMERS W., BRECKENRIDGE L. & SPRUCE A. Time course of fusion pore conductance during exocytosis of secretory vesicles in beige mouse mast cells. (C) 96*P*

SPYER K.M. *see* CROSSMAN D.C., DASHWOOD M.R., DAVIES G.J., LARKIN S., MASERI A., SPYER K.M. & YACOUB M. Coronary vasodilatation *in vivo* by substance P and the distribution of substance P and calcitonin gene-related peptide- (CGRP)-binding sites in human coronary artery. (C) 15*P*

STEELE D.S. *see* HARRISON S.M., LAMONT C., MILLER D.J. & STEELE D.S. Sulmazol (AR L 115BS) induces caffeine-like contractures in mammalian cardiac muscle selectively skinned with saponin. 124*P*

STEPHENS J.A. *see* EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Task-dependent changes in the cutaneomuscular reflex response of human first dorsal interosseous muscle studied during development. (C) 61*P*

STEPHENSON D.G. *see* FRYER M.W., NEERING I.R. & STEPHENSON D.G. Effects of 2,3-butanedione monoxime on the contractile activation properties of fast- and slow-twitch rat muscle fibres. 53

STIDWILL R.P. *see* CORFIELD D.R., CROSS Brenda A., HOWELLS Kathryn D., SEMPLE S.J.G. & STIDWILL R.P. An improved system for recording pH oscillations in an arterio-venous shunt in man. (D) 7*P*

STRANG L.B. *see* BARKER P.M., BROWN M.J., RAMSDEN C.A., STRANG L.B. & WALTERS D.V. The effect of thyroidectomy in the fetal sheep on lung liquid reabsorption induced by adrenaline or cyclic AMP. 373

STRETTOI E. *see* KUSMIC C., MARCHIAFAVA P.L. & STRETTOI E. A new type of photoresponse by cells of the isolated trout pineal body. (C) 84*P*

STUBBS W.A. *see* FELDBERG W., PYKE D.A. & STUBBS W.A. Hyper- and hypoglycaemia produced in anaesthetized cats by phentolamine. (C) 106*P*

SUGI H. & TSUCHIYA T. Stiffness changes during enhancement and deficit of isometric force by slow length changes in frog skeletal muscle fibres. 215

SUGI H. *see* AMEMIYA Y., IWAMOTO H., KOBAYASHI T., SUGI H., TANAKA H. & WAKABAYASHI K. Time-resolved X-ray diffraction studies on the effect of slow length changes on tetanized frog skeletal muscle. 231

SYKES Timothy C.F., THOMSON Alex M. & WEST David C. Sodium pentobarbitone enhances responses of relay neurones to GABA in slices of rat thalamus *in vitro*. (C) 54*P*

TADESSE K. *see* LEUNG D.T.Y., TADESSE K. & YUEN R.C.F. Lactose malabsorption in Hong Kong Chinese children. (C) 23*P*

TAGLIETTI Vanni & TOSELLI Mauro A study of stretch-activated channels in the membrane of frog oocytes: interactions with Ca^{2+} ions. 311

TAKASHIMA K. *see* MATSUMOTO M., SASAKI K., SATO M., SHOZUSHIMA M. & TAKASHIMA K. Dopamine-induced depolarizing responses associated with negative slope conductance in LB-cluster neurones of *Aplysia*. 199

TANAKA H. *see* AMEMIYA Y., IWAMOTO H., KOBAYASHI T., SUGI H., TANAKA H. & WAKABAYASHI K. Time-resolved X-ray diffraction studies on the effect of slow length changes on tetanized frog skeletal muscle. 231

TANOKURA M. *see* KAWANO Y., TANOKURA M. & YAMADA K. Phosphorus nuclear magnetic resonance studies on the effect of duration of contraction in bull-frog skeletal muscles. 243

TAYLOR M. *see* ABBOTT N.J., HART J., ROGAC L., TAYLOR M. & ZLOKOVIĆ B.V. Amino acid transport by the glial blood–brain barrier of the anaesthetized dogfish. (C) 25*P*

TAYLOR N.A.S. *see* MORRISON J.B. & TAYLOR N.A.S. Breathing gas pressure and its effect upon hyperbaric, immersed exercise in man. (C) 37*P*

TAYLOR N.A.S. *see* MORRISON J.B. & TAYLOR N.A.S. Expiratory reserve volume and respiratory relaxation volume disparities during human immersion. (C) 38*P*

TAYLOR Polly M. *see* SILVER Marian & TAYLOR Polly M. Andrenocortical response to anaesthesia in sheep. (C) 108*P*

TAYLOR W. Rowland Two-suction-electrode voltage-clamp analysis of the sustained calcium current in cat sensory neurones. 405

TAYLOR W. Rowland Permeation of barium and cadmium through slowly inactivating calcium channels in cat sensory neurones. 433

TERRAR D.A. & WHITE E. Influence of intracellular BAPTA on inward currents during action potential plateaux in myocytes isolated from guinea-pig ventricle. 137*P*

THOMSON Alex M. *see* SYKES Timothy C.F., THOMSON Alex M. & WEST David C. Sodium pentobarbitone enhances responses of relay neurones to GABA in slices of rat thalamus *in vitro*. (C) 54*P*

THORESON Wallace B. *see* BURKHARDT Dwight A., GOTTESMAN Jon & THORESON Wallace B. Prolonged depolarization in turtle cones evoked by current injection and stimulation of the receptive field surround. 329

TOMLINSON K.C. *see* BENNETT T., GARDINER S.M. & TOMLINSON K.C. Differential effects of angiotensin-converting enzyme (ACE) inhibitors and angiotensin II (AII) analogues on blood pressure in conscious, water-deprived Brattleboro rats. (C) 20*P*

TORRE V. *see* MENINI A., NUNN B.J. & TORRE V. Blockade of the cyclic GMP-activated current in isolated salamander retinal rods by organic cations. (C) 85*P*

TOSELLI Mauro *see* TAGLIETTI Vanni & TOSELLI Mauro A study of stretch-activated channels in the membrane of frog oocytes: interactions with Ca^{2+} ions. 311

TOURNEUR Y. *see* PILSUDSKI R., ROUGIER O. & TOURNEUR Y. Is the fading of the acetylcholine effect on K conductance linked to the desensitization of the muscarinic receptor on atrial myocytes isolated from the frog and guinea-pig? 129*P*

TSUCHIYA T. *see* SUGI H. & TSUCHIYA T. Stiffness changes during enhancement and deficit of isometric force by slow length changes in frog skeletal muscle fibres. 215

TSUNOO Akinobu *see* KUROKAWA Makoto & TSUNOO Akinobu Parasympathetic depression of vas deferens contraction in the guinea-pig involves adenosine receptors. 135

TUTT S.M. *see* CRISP A.J., HAINSWORTH R. & TUTT S.M. The absence of cardiovascular and respiratory responses to changes in right ventricular pressure in anaesthetized dogs. 1

USSING H.H. *see* ESKESEN K., NIELSEN R. & USSING H.H. Mechanism of isotonic solute transport in glands. (C) 94*P*

VALDEOLMILLOS M. *see* EISNER D.A., O'NEILL S.C., VALDEOLMILLOS M. & WRAY Susan The effects of extracellular Na on $[Ca^{2+}]_i$ and ^{45}Ca efflux in cultured smooth muscle cells from the guinea-pig taenia coli. (C) 80*P*

VALDEOLMILLOS M. *see* O'NEILL S.C. & VALDEOLMILLOS M. The effects of fast changes of external calcium on the calcium current and contraction in isolated rat cardiac myocytes. 131*P*

VANE J.R. *see* CYNK E., KONDO K., SALVEMINI D., SNEDDON J.M. & VANE J.R. Human monocytes and neutrophils inhibit platelet aggregation by releasing an EDRF-like factor. (C) 28*P*

VANE J.R. *see* ANTUNES E., DE NUCCI G. & VANE J.R. Endothelin releases eicosanoids from and is removed by isolated perfused lungs of the guinea-pig. (C) 40*P*

VANHEEL B. *see* DE HEMPTINNE A. & VANHEEL B. Intracellular pH and Na^+ activity during simulated ischaemia in isolated guinea-pig ventricular muscle. 115*P*

VAN KERKHOVE Emmy & VAUGHAN-JONES R.D. Na-dependent Cl uptake in the isolated sheep cardiac Purkinje fibre. 117*P*

VAN RENTERGHEM C. *see* LAZDUNSKI M., ROMEY G. & VAN RENTERGHEM C. Bombesin modulates the spontaneous electrical activity in rat aortic cells (A7r5 cell line) by an action on three different types of ionic channels. (C) 100*P*

VAN ZUYLEN E.J. *see* GIELEN C.C.A.M., RAMAEKERS L. & VAN ZUYLEN E.J. Long-latency stretch reflexes as co-ordinated functional responses in man. 275

VAUGHAN-JONES R.D. *see* VAN KERKHOVE Emmy & VAUGHAN-JONES R.D. Na-dependent Cl uptake in the isolated sheep cardiac Purkinje fibre. 117*P*

VAUGHAN-JONES R.D. *see* BOUNTRA C. & VAUGHAN-JONES R.D. Effect of intracellular acidosis on contraction in mammalian cardiac muscle *in vitro*. 118*P*

WAKABAYASHI K. *see* AMEMIYA Y., IWAMOTO H., KOBAYASHI T., SUGI H., TANAKA H. & WAKABAYASHI K. Time-resolved X-ray diffraction studies on the effect of slow length changes on tetanized frog skeletal muscle. 231

WALTERS D.V. *see* MARKIEWICZ M., RAMSDEN C.A. & WALTERS D.V. Changes in the effect of amiloride on liquid flow across the pulmonary epithelium in the anaesthetized sheep during development. (C) 36*P*

WALTERS D.V. *see* BARKER P.M., BROWN M.J., RAMSDEN C.A., STRANG L.B. & WALTERS D.V. The effect of thyroidectomy in the fetal sheep on lung liquid reabsorption induced by adrenaline or cyclic AMP. 373

WANG J.C.C. *see* LUNG M.A. & WANG J.C.C. Nasal vascular and airway responses to electrical stimulation of ethmoidal and infraorbital nerves in the anaesthetized dog. (C) 41*P*

WANG X. *see* METCALF N.F., METCALF W.K. & WANG X. The differing sensitivities of the haemoglobin of fetal and adult red cells to oxidation by nitrites in man: the role of plasma. (C) 44*P*

WARE M.J. *see* EISNER D.A., PECKETT W.R.C. & WARE M.J. The effects of α-cyano-4-(OH)-cinnamic acid (CHC) on lactate efflux from isolated perfused rat heart. 113*P*

WATKINS Sharon *see* HODSON S.A., O'LEARY D. & WATKINS Sharon Experimental verification of the Donnan theory of swelling in the isolated cornea of the ox. (C) 105*P*

WATSON A.H.D. *see* BRUNN D.E., BURROWS M. & WATSON A.H.D. A central excitatory synapse between identified motor neurones in the locust. (C) 59*P*

WEBBER S.E. *see* DEFFEBACH M.E., SALONEN R.O. & WEBBER S.E. Independent effects of hypertonic fluids and cooling on the tracheal vasculature and smooth muscle in the anaesthetized dog. (C) 33*P*

WEBBER S.E. *see* PRICE A., WEBBER S.E. & WIDDICOMBE J.G. The effect of osmolality on lysozyme output and albumin flux across the ferret *in vitro* trachea. (C) 34*P*

WELCH W.J. & WILCOX C.S. Renal haemodynamic responses to infusions of angiotensin II or phenylephrine in anaesthetized rats: role of thromboxane. (C) 111*P*

WEST David C. *see* SYKES Timothy C.F., THOMSON Alex M. & WEST David C. Sodium pentobarbitone enhances responses of relay neurones to GABA in slices of rat thalamus *in vitro*. (C) 54*P*

WESTBROOK G.L. *see* FORSYTHE I.D., MAYER M.L. & WESTBROOK G.L. Glycine and zinc modulate the NMDA-receptor-mediated monosynaptic EPSP recorded between mouse hippocampal neurones in culture. (C) 53*P*

WESTERBLAD H. *see* ALLEN D.G., LEE J.A. & WESTERBLAD H. Intracellular calcium during fatigue in isolated single fibres from *Xenopus* toe muscles. (C) 75*P*

WHITE E. *see* TERRAR D.A. & WHITE E. Influence of intracellular BAPTA on inward currents during action potential plateaux in myocytes isolated from guinea-pig ventricle. 137*P*

WHITE Stanley *see* GREEN Roger, GREENWOOD Susan L. & WHITE Stanley The effects of anions on fluid reabsorption from the proximal convoluted tubule of the rat. 103

WIDDICOMBE J.G. *see* PRICE A., WEBBER S.E. & WIDDICOMBE J.G. The effect of osmolality on lysozyme output and albumin flux across the ferret *in vitro* trachea. (C) 34*P*

WIDDICOMBE J.G. *see* SALONEN R.O., DEFFEBACH M.E. & WIDDICOMBE J.G. Cold dry air-induced smooth muscle and vascular responses in the trachea of the anaesthetized dog. (C) 35*P*

WIER W.G. *see* BEUCKELMANN D.J. & WIER W.G. $[Ca^{2+}]_i$-transients arising from sodium–calcium exchange (Na–Ca) in guinea-pig myocytes increase exponentially with depolarization. (C) 78*P*

WILCOX C.S. *see* WELCH W.J. & WILCOX C.S. Renal haemodynamic responses to infusions of angiotensin II or phenylephrine in anaesthetized rats: role of thromboxane. (C) 111*P*

WILLIAMS S.H. *see* JOHNSTON D. & WILLIAMS S.H. Muscarine depresses long-term potentiation in CA3 neurones of the rat hippocampus slice *in vitro*. (C) 49*P*

WILSON S.M. *see* BOVELL D.L., ELDER H.Y., JENKINSON D. MCEWAN & WILSON S.M. Calcium involvement in the regulation of potassium efflux in the human isolated sweat gland. (C) 104*P*

WOLEDGE R.C. *see* CURTIN N.A. & WOLEDGE R.C. Energetic cost of power output by isolated fibre bundles from dogfish white muscle. (C) 74*P*

WOOD L.M. *see* DALY M. de Burgh, KIRKMAN E. & WOOD L.M. Cardiovascular responses to stimulation of cardiac receptors in the cat and their modification by changes in respiration. 349

WRAY Susan *see* EISNER D.A., O'NEILL S.C., VALDEOLMILLOS M. & WRAY Susan The effects of extracellular Na on $[Ca^{2+}]_i$ and ^{45}Ca efflux in cultured smooth muscle cells from the guinea-pig taenia coli. (C) 80*P*

YACOUB M. *see* CROSSMAN D.C., DASHWOOD M.R., DAVIES G.J., LARKIN S., MASERI A., SPYER K.M. & YACOUB M. Coronary vasodilatation *in vivo* by substance P and the distribution of substance P and calcitonin gene-related peptide- (CGRP)-binding sites in human coronary artery. (C) 15*P*

YAMADA K. *see* KAWANO Y., TANOKURA M. & YAMADA K. Phosphorus nuclear magnetic resonance studies on the effect of duration of contraction in bull-frog skeletal muscles. 243

YOUNG J.Z. *see* ANDREWS P.L.R. & YOUNG J.Z. Videotape recording of stomach activity patterns in the pithed elasmobranch. (D) 8*P*

YUDILEVICH D.L. *see* BOYD C.A.R., BUSTAMANTE J.C. & YUDILEVICH D.L. Sulphate transport by isolated basal membrane vesicles of human placenta. (C) 13*P*

YUEN R.C.F. *see* LEUNG D.T.Y., TADESSE K. & YUEN R.C.F. Lactose malabsorption in Hong Kong Chinese children. (C) 23*P*

ZLOKOVIĆ B.V. *see* ABBOTT N.J., HART J., ROGAC L., TAYLOR M. & ZLOKOVIĆ B.V. Amino acid transport by the glial blood–brain barrier of the anaesthetized dogfish. (C) 25*P*

ZOREC R. *see* MASON W.T., SIKDAR S.K. & ZOREC R. Ca^{2+}-induced cell membrane capacitance increase in bovine lactotrophs *in vitro*. (C) 88*P*

ZRENNER Eberhart *see* BAKER Jr Curtis L., HESS Robert R., OLSEN Borgar T. & ZRENNER Eberhart Current source density analysis of linear and non-linear components of the primate electro-retinogram. 155

CONTENTS OF VOLUME 407

December 1988 (2)

CRISP A.J., HAINSWORTH R. & TUTT S.M. The absence of cardiovascular and respiratory responses to changes in right ventricular pressure in anaesthetized dogs. 1

BŘEZINA Vladimír Guanosine 5′-triphosphate analogue activates potassium current modulated by neurotransmitters in *Aplysia* neurones. 15

MARTIN-BODY R.L. Brain transections demonstrate the central origin of hypoxic ventilatory depression in carotid body-denervated rats. 41

FRYER M.W., NEERING I.R. & STEPHENSON D.G. Effects of 2,3-butanedione monoxime on the contractile activation properties of fast- and slow-twitch rat muscle fibres. 53

BOYETT M.R., KIRBY M.S. & ORCHARD C.H. Rapid regulation of the 'second inward current' by intracellular calcium in isolated rat and ferret ventricular myocytes. 77

GREEN Roger, GREENWOOD Susan L. & WHITE Stanley The effects of anions on fluid reabsorption from the proximal convoluted tubule of the rat. 103

ITO Y., KURIYAMA H. & PARKER I. Calcium transients evoked by electrical stimulation of smooth muscle from guinea-pig ileum recorded by the use of Fura-2. 117

KUROKAWA Makoto & TSUNOO Akinobu Parasympathetic depression of vas deferens contraction in the guinea-pig involves adenosine receptors. 135

BAKER JR Curtis L., HESS Robert R., OLSEN Borgar T. & ZRENNER Eberhart Current source density analysis of linear and non-linear components of the primate electroretinogram. 155

INOUE M., NAKAJIMA S. & NAKAJIMA Y. Somatostatin induces an inward rectification in rat locus coeruleus neurones through a pertussis toxin-sensitive mechanism. 177

MATSUMOTO M., SASAKI K., SATO M., SHOZUSHIMA M. & TAKASHIMA K. Dopamine-induced depolarizing responses associated with negative slope conductance in LB-cluster neurones of *Aplysia*. 199

SUGI H. & TSUCHIYA T. Stiffness changes during enhancement and deficit of isometric force by slow length changes in frog skeletal muscle fibres. 215

AMEMIYA Y., IWAMOTO H., KOBAYASHI T., SUGI H., TANAKA H. & WAKABAYASHI K. Time-resolved X-ray diffraction studies on the effect of slow length changes on tetanized frog skeletal muscle. 231

KAWANO Y., TANOKURA M. & YAMADA K. Phosphorus nuclear magnetic resonance studies on the effect of duration of contraction in bull-frog skeletal muscles. 243

BAMBRICK Linda L. & GORDON Tessa Neural regulation of [^{3}H]saxitoxin binding site numbers in rat neonatal muscle. 263

GIELEN C.C.A.M., RAMAEKERS L. & VAN ZUYLEN E.J. Long-latency stretch reflexes as co-ordinated functional responses in man. 275

BIANCHI A.L., GRÉLOT L., ISCOE S. & REMMERS J.E. Electrophysiological properties of rostral medullary respiratory neurones in the cat: an intracellular study. 293

TAGLIETTI Vanni & TOSELLI Mauro A study of stretch-activated channels in the membrane of frog oocytes: interactions with Ca^{2+} ions. 311

BURKHARDT Dwight A., GOTTESMAN Jon & THORESON Wallace B. Prolonged depolarization in turtle cones evoked by current injection and stimulation of the receptive field surround. 329

DALY M. de Burgh, KIRKMAN E. & WOOD L.M. Cardiovascular responses to stimulation of cardiac receptors in the cat and their modification by changes in respiration. 349

MADDOCKS S. & SETCHELL B.P. The composition of extracellular interstitial fluid collected with a push–pull cannula from the testes of adult rats. 363

BARKER P.M., BROWN M.J., RAMSDEN C.A., STRANG L.B. & WALTERS D.V. The effect of thyroidectomy in the fetal sheep on lung liquid reabsorption induced by adrenaline or cyclic AMP. 373

MARSHALL Janice M. & METCALFE J.D. Analysis of the cardiovascular changes induced in the rat by graded levels of systemic hypoxia. 385

TAYLOR W. Rowland Two-suction-electrode voltage-clamp analysis of the sustained calcium current in cat sensory neurones. 405

TAYLOR W. Rowland Permeation of barium and cadmium through slowly inactivating calcium channels in cat sensory neurones. 433

ADAMS J.H. & KOESLAG J.H. Carbohydrate homeostasis and post-exercise ketosis in trained and untrained rats. 453

LAMB T.D. & MATTHEWS H.R. Incorporation of analogues of GTP and GDP into rod photoreceptors isolated from the tiger salamander. 463

ALLEN D.G. & KENTISH J.C. Calcium concentration in the myoplasm of skinned ferret ventricular muscle following changes in muscle length. 489

GARCÍA-SANCHO Javier & LEW Virgilio L. Detection and separation of human red cells with different calcium contents following uniform calcium permeabilization. 505

GARCÍA-SANCHO Javier & LEW Virgilio L. Heterogeneous calcium and adenosine triphosphate distribution in calcium-permeabilized human red cells. 523

GARCÍA-SANCHO Javier & LEW Virgilio L. Properties of the residual calcium pools in human red cells exposed to transient calcium loads. 541

ALMARAZ Laura, GARCÍA-SANCHO Javier & LEW Virgilio L. Calcium-induced conversion of adenine nucleotides to inosine monophosphate in human red cells. 557

DAGHER Georges & LEW Virgilio L. Maximal calcium extrusion capacity and stoichiometry of the human red cell calcium pump. 569

HELLSTRAND Per & LYDRUP Marie-Louise Spontaneous electrical and contractile activity correlated to $^{86}Rb^{+}$ efflux in smooth muscle of guinea-pig mesotubarium. 587

GANDEVIA S.C. & MCKENZIE D.K. Activation of human muscles at short muscle lengths during maximal static efforts. 599

CASIROLA D., FERRARI G., GASTALDI G., PARTRINI C. & RINDI G. Erratum: *Journal of Physiology* **398** (1988) 615

BAYLOR S.M. & HOLLINGWORTH S. Erratum: *Journal of Physiology* **403** (1988) 616